

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIGURE 1




FIGURE 2

Title: APPARATUS AND METHOD FOR SAMPLE-AND-HOLD WITH BOOSTED HOLDING SWITCH

Inventors: Maria R. Tursi et al.

Atty. Docket No.: 08211/1200663-US1/P05913

INFORMAL




FIGURE 3

INFORMAL




FIGURE 4

Title: APPARATUS AND METHOD FOR SAMPLE-AND-HOLD WITH BOOSTED HOLDING SWITCH

Inventors: Maria R. Tursi et al.

Atty. Docket No.: 08211/1200663-US1/P05913

INFORMAL





FIGURE 6



Title: APPARATUS AND METHOD FOR SAMPLE-AND-HOLD WITH BOOSTED HOLDING SWITCH

Inventors: Maria R. Tursi et al.

Atty. Docket No.: 08211/1200663-US1/P05913

INFORMAL




FIGURE 8

INFORMAL




FIGURE 9

FIGURE 10





FIGURE 11



1140